



## PL-L 36W/01/4P 1CT

Product family description  
Tubular or compact single-ended low-pressure mercury vapour fluorescent lamps

### Product Features

- Emit radiation for therapeutic and other applications

### Application

- Phototherapy in dermatology (psoriasis, SUP)
- These lamps produce UV-B radiation which is harmful to human skin and eyes. They are therefore only available for medical and industrial applications

### System

- Compact, single-ended lamps have the same lamp caps and can operate on the same universal ballasts as compact, single-ended lamps for general lighting
- Tubular lamps can be operated in normal switch-start as well as pre-heat rapid-start systems


Product data	
Order code	868893 40
Full product code	871150086889340
Full product name	PL-L 36W/01/4P 1CT
Order product name	PL-L 36W/01/4P 1CT/25
Packing type	1 Carton
Pieces per pack	1
Packing configuration	25
Packs per outerbox	25
Bar code on pack - EAN1	8711500868893
Bar code on intermediate packing - EAN2	
Bar code on outerbox - EAN3	8711500868909
Logistic code(s) - 12NC	9279 034 00121
ILCOS code	
Net weight per piece	104.000 GR
Successor order code	
Cap-Base	2G11

# PHILIPS


Product data	
Cap-Base Information	4 Pins
Bulb	2xT16
Main Application	Medical Therapy
Packing Type	1 CT [1 Carton]
Packing Configuration	25
Rated Lamp Wattage	36W
Technical Lamp Power	36 W
Lamp Voltage	105 V
Lamp Current	0.435 A
Colour Code	01
UV-B Radiation 100hr (IEC)	4.8 W




PL-L 2G11/4P




Cap-Base 2G11



PL-L/01



PL-L/01



PL-L 2G11

	A	B	C	D	D1
Full product name	Max	Max	Max	Max	Max
PL-L 36W/01/4P 1CT	384.2	410	416.6	39	18



Distributed by: PRC Technologies Corp., Ltd. Tel: 02 530 1714, 02 530 1619, 02 530 1621 Fax: 02 530 1731  
Email: [info@prctechnologies.co.th](mailto:info@prctechnologies.co.th), [www.prctech-th.com](http://www.prctech-th.com)